

Scholar

Results 1 - 38 of 38 for service user "conference server" -register -registration. (0.21 seconds)

### Functional Components for Multimedia Services - group of 2 »

S Cronjaeger, W Reinhard, J Schweitzer - IEEE INTERNATIONAL CONFERENCE ON COMMUNICATIONS, 1993 -  
ieeexplore.ieee.org

... The **user's** mouse and keyboard inputs are ... Other bandwidth and quality-of-**service** requirements come from ... realized with an audio-visual **conference server** in (or ...

Cited by 13 - [Web Search](#) - [BL Direct](#)

### The Rapport multimedia conferencing system-a software overview

JR Ensor, SR Ahuja, DN Horn, SE Lucco - Computer Workstations, 1988., Proceedings of the 2nd IEEE ..., 1988 -  
ieeexplore.ieee.org

... The **user** interface level provides humans and ... all the participants, the **conference server** level coordinates ... level includes window management **service** and drivers ...

Cited by 26 - [Web Search](#)

### Centralized conferencing using SIP - group of 12 »

K Singh, G Nair, H Schulzrinne - Internet Telephony Workshop, 2001 - voip.nce.ufrj.br

... Alternatively, the **conference server** itself can redirect a request to an ... that can be drafted into **service** for occasional ... inactive, eg, due to **user** agent failure ...

Cited by 37 - [View as HTML](#) - [Web Search](#)

### Designing a videoconference system for active networks - group of 11 »

M Baldi, G Picco, F Risso - Personal Technologies, 1998 - Springer

... of the delivered quality of **service**. ... computational power in the **conference server** and overloads ... both architectures, thus enabling **user** customisation without ...

Cited by 29 - [Web Search](#) - [BL Direct](#)

### Personal Mobility for Multimedia Services in the Internet - group of 7 »

H Schulzrinne - LECTURE NOTES IN COMPUTER SCIENCE, 1996 - cs.columbia.edu

... residences attached to an Internet **service** provider, a ... only the mail exchange host has **user** location capabilities ... those that do not require a **conference server**. ...

Cited by 26 - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

### ASIS MDL: A prototype electronic content **service** - group of 2 »

SY Iap, HY Kao, CF Ku, YT Lee, SH Lin, YC Pan, CS ... - Proc. IEEE DARE, 1998 - cscl.iis.sinica.edu.tw

... The third is the **conference server** of our video conference system ... with the application agent at the **user** site and force it to giveup the current **service** session ...

Cited by 2 - [View as HTML](#) - [Web Search](#)

### A Video-Conferencing Distributed **Service** Tailored for Education - group of 9 »

P Lago, G Canal - ICMCS, Vol. 2, 1999 - ieeexplore.ieee.org

... Our objective is to let the **user** start TINA ... a generic terminal, on which the **service** client stub ... The White Pine@ Meetingpoint TM **Conference Server**, http://www ...

Cited by 1 - [Web Search](#)

### [PS] Rapidly building synchronous collaborative applications by direct manipulation - group of 5 »

G Banavar, S Doddapaneni, K Miller, B Mukherjee - PROC ACM CONF COMPUT SUPPORT COOP WORK, 1998 -  
researchweb.watson.ibm.com

... Setup **Conference Server** connection/disconnection, authentication, session joining/leaving, participant awareness Invitation Invitation **User-to-user** invitation ...

Cited by 24 - [View as HTML](#) - [Web Search](#) - [Library Search](#)

### Instant Messaging for Corporate Collaboration

L Rapaport - TRANSFORM MAGAZINE, 2001 - providersedge.com  
... internal instant messaging network using the **Conference Server** and one ... at a cost  
of \$2 per **user** per year ... messenger **service** is tied in with the company's portal ...  
[Cited by 1](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

### A Video Conference **Service** Supported by an Extended Intelligent Network - group of 3 »

D Faouzi - CONF PROC IEEE SOUTHEASTCON, 1996 - ieeexplore.ieee.org  
... Page 2 control data multimedia canal **Conference server** organisation 587 ... our design  
by focusing on end-**user** behaviour; we conceive a **service** that integrates ...  
[Web Search](#) - [BL Direct](#)

### MULTIMEDIA AND MULTIPARTY CONTROL: THE INTELLIGENT NETWORK SOLUTION - group of 2 »

D Faouzi - Communication Technology Proceedings, 1996. ICCT'96., 1996 ..., 1996 - ieeexplore.ieee.org  
... of the primitive ALLOCATE(SC) by a **user**. ... or deallocate by DEALLOCATE(SC) this **service**  
component Page ... IP multimedia canal B r **Conference server** organisation D ...  
[Web Search](#)

### Experimenting with Technology Associated with Mobile Desktops - group of 5 »

MHL Penedo - WETICE, 1998 - doi.ieeecs.org  
... provide needed quality of **service**, the tele ... of the asynchronous discussions • virtual  
**conference server** for synchronous ... threads), HTML (for **user** interface and ...  
[Web Search](#)

### [PS] ImagineDesk: A Software Platform Supporting Cooperative Applications - group of 3 »

S Pozzi, ED Nitto - ACM Conference on Computer Science, 1994 - elet.polimi.it  
... **Conference Server** Cooperative Application 2 Secretary 2 ... A subset of the ACI primitives  
enables to dene a **service**, called Conference **User** Interface (CUI ...  
[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

### Overview of the MoMuSys Extension Activities: New Algorithms, Tools and Applications for Mobile ... - group of 2 »

H Fuchs, M Wollborn - ACTS Mobile Summit, 1999 - tnt.uni-hannover.de  
... on Media and Quality of **Service** (QoS) management ... results are displayed to the **user**,  
who has ... Page 6. The **conference server** manages the virtual meeting room, the ...  
[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

### [PS] Communications software performance prediction - group of 2 »

G Waters, P Linington, D Akehurst, A Symes - 13th UK Workshop on Performance Engineering of Computer and ..., 1997 -  
cs.kent.ac.uk  
... Here, typical speech Quality of **Service** characteristics would be ... In this situation,  
is one **conference server** sufficient?", What ... to be captured at **user**, cache and ...  
[Cited by 14](#) - [View as HTML](#) - [Web Search](#)

### A distributed and policy-free general-purpose shared window system - group of 5 »

T Gutekunst, D Bauer, G Caronni, B Plattner - IEEE/ACM Transactions on Networking, 1995 - portal.acm.org  
... and for 2) "JVTOS" (Joint Viewing and Tele-Operation **Service**), a complex ... **user** 4  
(a) ... more vulner- able to failures of either the **conference server** itself or ...  
[Cited by 23](#) - [Web Search](#)

### A Software Architecture for Workstations Supporting Multimedia Conferencing in Packet Switching ... - group of 3 »

WHF Leung, TJ Baumgartner, YH Hwang, MJ Morgan, SC ... - IEEE Journal on Selected Areas in Communications, 1990 -  
ieeexplore.ieee.org  
... messages from the multimedia virtual circuit and commands from the **user** terminal;  
it ... It requires a **service** class and priority as parameters: the **service** class ...  
[Cited by 49](#) - [Web Search](#)

### Student Remote Access to Machine Vision Laboratory Using NetMeeting Software - group of 2 »

CN Thai, BL Upchurch, T Wang - ASAE Technical Paper No, 2001 - asae.frymulti.com  
... which is installed as a Windows "**service**". ... weblabs" requires Windows Local **User** Name  
and ... the scheduling facilities of Exchange 2000 **Conference Server**. ...  
[Cited by 1](#) - [Web Search](#)

### Integrating Meeting Capture within a Collaborative Team Environment - group of 8 »

H Richter, GD Abowd, W Geyer, L Fuchs, S Daijavad, ... - LECTURE NOTES IN COMPUTER SCIENCE, 2001 - Springer

... must work and provide a valuable **service** all of ... The **user** is viewing an annotated presentation. ... via our own protocol directly to the **Conference Server**, which is ...

Cited by 35 - [Web Search](#) - [BL Direct](#)

### RSVP Mobility Support: A Signaling Protocol for Integrated Services Internet with Mobile Hosts - group of 4

»

WT Chen, LC Huang... - IEEE INFOCOM, 2000 - [ieeexplore.ieee.org](#)

... Moreover, the mobile **user** may suffer temporary disruption of **service** during handoff while the new location is overcrowded, and no sufficient available ...

Cited by 47 - [Web Search](#) - [BL Direct](#)

### Integration of CAD/CAE Multimedia Teleconferencing and Messaging via Broadband Networks and Shared

... - group of 4 »

LF Ludwig - ICSI, 1990 - [ieeexplore.ieee.org](#)

... of the knob and button boxes by Xli interfaces permits a **user** at a ... This is done via the shared window system within the **conference server** described in Section ...

Cited by 2 - [Web Search](#)

### Comet: A Toolkit for Multiuser Audio/Video Applications - group of 2 »

DP Anderson, P Chan - ICDCS, 1992 - [ieeexplore.ieee.org](#)

... Multi **user** CM applications involve both components. A typical multiuser CM application provides teleconferencing: each **user** sees and hears the others. ...

Cited by 1 - [Web Search](#)

### Privacy-enhanced desktop meeting system - group of 3 »

V Hassler, N Lutz, R Posch - WETICE, 1996 - [ieeexplore.ieee.org](#)

... It includes a **user** interface with an easily modifiable set of pull-down ... workflow information in its database, The Voting Server provides the voting **service**. ...

[Web Search](#)

### Software Architecture for Integration of Video Services in the Etherphone System

I INTRODUCTION - IEEE JOURNAL ON SELECTED AREAS IN COMMUNICATIONS, 1991 - [ieeexplore.ieee.org](#)

... The **user** interface to video ropes is through Tiogavision, a multimedia document ... radically different ap- proach to designing services and **service**-access methods ...

[Web Search](#)

### Group Voice Conferencing for Mobile Environments - group of 2 »

U Walther, S Fischer - Computer Communications and Networks, 2000. Proceedings. ..., 2000 - [ieeexplore.ieee.org](#)

... natural language processing and intelligent **user** interfaces ... lated to Quality of **Service** (QoS), since ... additional latency introduced by using a **conference server**. ...

[Web Search](#)

### Meeting at the desktop: An empirical study of virtually collocated teams - group of 8 »

G Mark, J Grudin, SE Poltrok - ECSCW, 1999 - [research.microsoft.com](#)

... A desktop conferencing **service** includes a directory of NM ... there are major problems, let [User 4] drive. ... how to dial into another **conference server**, solving the ...

Cited by 70 - [View as HTML](#) - [Web Search](#)

### Running the Network: Supporting Co-operative Systems John Bowers, James Pycock, Tom Rodden, Graham ... - group of 4 »

J Bowers - Information Technology & People, 1994 - [emeraldinsight.com](#)

... Some users remarked that the UK Civil **Service** is a ... requiring a machine running a **conference server** and client programs installed in each **user's** machine ...

Cited by 2 - [Web Search](#) - [BL Direct](#)

### Collaborating from Mobile Desktops

MH Penedo, N Heske - TRW Technical Review Journal, to appear July, 1998 - [ms.northropgrumman.com](#)

... electronic bulletin board; Multi-**User** Support — File ... the needed quality of **service**, the telephone ... repository; • A virtual **conference server** for synchronous ...

Cited by 1 - [View as HTML](#) - [Web Search](#)

### Synchronous distance learning via the Internet experience and status report– - group of 3 »

J Sigle - Proceedings of the sixth annual CCSC northeastern conference ..., 2001 - portal.acm.org

... insufficient bandwidth and quality of **service** to support high ... to use a software

Multipoint **Conference Server** product, White ... If a single **user** is at the desktop ...

Cited by 1 - [Web Search](#)

### Distributed eXtreme Programming - group of 12 »

M Kircher, P Jain, A Corsaro, D Levine - Proceedings of XP2001, May, 2001 - tao.doc.wustl.edu

... server that provides the Web-Desktop **service** and its ... with David, our customer, discussing **user** stories ... An additional **conference server** would have been needed to ...

Cited by 27 - [View as HTML](#) - [Web Search](#)

### Introduction - group of 3 »

C Leung - Image and Vision Computing, 1999 - ieeexplore.ieee.org

... a traffic model for a videoconference **service** where the ... or manual switched (ie selected by individual **user**). ... In the CC, a multipoint **conference server** (MCS) is ...

Cited by 3 - [Web Search](#)

### NOTIFICATION SERVICES IN A DISTRIBUTED CONFERENCING SYSTEM

SP SHUKLA - 2000 - cise.ufl.edu

... "on-demand" **service**), while mailing ... 1. The Central **Conference Server** (CCS), which always exists and provides ... 3. The **User Manager** (UM), which acts as a dialog ...

Cited by 1 - [View as HTML](#) - [Web Search](#)

### [PS] A Multimedia Architecture for Medical Tele-Imaging over ATM - group of 2 »

A Basso, O Verscheure, R Noro, JP Hubaux, R Meuli, ... - HU Lemke et al." Computer Assisted Radiology", (Amsterdam: ..., 1996 - icawww.epfl.ch

... provide Quality of **Service** (QoS) awareness. ... The client gets this now and supplies the **user** with the position of the mouse and the ... Video **Conference SERVER** ...

Cited by 7 - [View as HTML](#) - [Web Search](#)

### Science and the Internet: The World-Wide Web - group of 2 »

HS Rzepa - SCIENCE PROGRESS, 1996 - ch.ic.ac.uk

... rich display of the molecule can be on the **user's** screen ... requested one or more documents from the ECTOC **conference server**, and we provided a **service** so that ...

Cited by 3 - [Cached](#) - [Web Search](#) - [BL Direct](#)

### Modeling real time applications in distributed environment - group of 2 »

V Kumar, HH Ammar, S Kankanahalli - MIDWEST SYMPOSIUM ON CIRCUITS AND SYSTEMS, 1993 - ieeexplore.ieee.org

... issues related to our distributed real time audio **conference server** System Requirements ... procedures cannot be tolerated and perhaps datagram **service** beats ...

[Web Search](#) - [BL Direct](#)

### Bio-Almanac - group of 3 »

I eBioinformatics, I Empatheon - Biotech Software & Internet Report, 2001 - liebertonline.com

... on a Linux system, providing full access to all of the **user's** favorite ... and the Windows virtual machine by using the Samba file sharing **service** that comes ...

[Web Search](#)

### Videoconferencing over Packet-Based Networks - group of 3 »

M Willebeek-LeMair, ZY Shae - IEEE Journal on Selected Areas in Communications, 1997 - ieeexplore.ieee.org

... The H.320 standard defines a central **conference server** called a ... the MMT system allows each **user** to individu ... 1) Quality of **Service**: Delay, Packet Loss, and Jitter ...

Cited by 20 - [Web Search](#) - [Library Search](#) - [BL Direct](#)

### The Development of a Military-COTS Mobile Satellite Earth Station - group of 2 »

G Youst, J Mazzei - MILCOM, 1998 - argreenhouse.com

... just another clock source for the switched **service** to handle. ... is the capability of the VTC **Conference Server** to act ... which in turn defines the end **user** usability ...

[View as HTML](#) - [Web Search](#) - [BL Direct](#)

service user "conference server" -re:

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

- ☒ Search only in Engineering, Computer Science, and Mathematics.  
☐ Search in all subject areas.

## Scholar

Results 1 - 9 of 9 for SIP "conference server". (0.11 seconds)

Tip: Try removing quotes from your search to get more results.

### Centralized conferencing using SIP - group of 12 »

K Singh, G Nair, H Schulzrinne - Internet Telephony Workshop, 2001 - voip.nce.ufrj.br  
... V. IMPLEMENTATION We have implemented a simple **SIP conference server** based on the above design. It can support some of the common ...  
Cited by 37 - [View as HTML](#) - [Web Search](#)

### Signaling for Internet telephony - group of 14 »

H Schulzrinne, J Rosenberg - The 1998 International Conference on Network Protocols, ICNP, 1998 - doi.ieeecomputersociety.org  
... It relies on a central **conference server** for al- most all functions, and doesn't ...  
It was therefore our goal with **SIP** to leverage off the work on distributed ...  
Cited by 38 - [Web Search](#)

### Towards junking the PBX: deploying IP telephony - group of 12 »

W Jiang, J Lennox, H Schulzrinne, K Singh - NOSSDAV, 2001 - portal.acm.org  
... Our Internet telephony environment employs a **SIP conference server** with audio and video capabilities. The conferences can be set up via a web interface. ...  
Cited by 21 - [Web Search](#)

### Collaborative Media Streaming in an In-Home Network - group of 6 »

V Kahmann, L Wolf - Proc. of International Workshop on Smart Appliances and ..., 2001 - doi.ieeecomputersociety.org  
... 4. **SIP conference server** / RTSP proxy C2 alice@friendhost C1 bob@examplehost  
application lookup get Bob's streaming sessions association ...  
Cited by 2 - [Web Search](#)

### An example of using presence and availability in an enterprise for spontaneous, multiparty, ... - group of 3 »

HS Shim, C Chung, M Long, G Patton, S Dalal - 2nd IP-Telephony Workshop (IPTEL2001), 2001 - iptel.org  
... an extensive and innovative use of Session Initiation Protocol (**SIP**) [1] for ... for both PSTN and/or VoIP users, eg, Microsoft Exchange **Conference Server** [25] and ...  
Cited by 4 - [View as HTML](#) - [Web Search](#)

### Multicast for Small Conferences - group of 7 »

T Braun - 6th IEEE Symposium on Computers and Communications (ISCC ..., 2001 - ieeexplore.ieee.org  
Page 1. Multicast for Small Conferences Torsten Braun and Linqing Liu Institute of Computer Science and Applied Mathematics, University of Bern, Neubrickstr. ...  
Cited by 7 - [Web Search](#)

### Conferencing on the Internet - group of 5 »

PJ Cordell, JM Courtenay, S Rudkin - BT Technology Journal, 1997 - Springer  
... (**conference**) **server** multicast announcement ... from multimedia servers, supports the invitation of a server to a conference by another mechanism (such as **SIP** or H ...  
[Web Search](#) - [BL Direct](#)

### A Coordination Architecture for Internet Groupwork - group of 9 »

HP Dommel, JJ Garcia-Luna-Aceves - EUROMICRO, 2000 - doi.ieeecomputersociety.org  
... Hosts from the same local network partaking in a wide-area session communicate with a local **conference server** through a local bus architecture, which attaches ...  
Cited by 1 - [Web Search](#)

### A coordination framework and architecture for internet groupware - group of 7 »

SIP "conference server"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google